

GRAINKING

NYREX

2026 MY

Nyrex Chaser BIN



2026 75T Nyrex Chaser Bin



40,000L Lineup

Meet GrainKing's Nyrex Chaser Bin

The most efficient grain handling equipment on the market.

Designed, Engineered and Manufactured by GrainKing, Nyrex Chaser bins have been the Aussie farmer's first choice for over 40 years. Beginning in 1962 and solely manufacturing grain bins since 1981, GrainKing has decades of experience in creating the safest, most efficient and durable Chaser bins on the market. From hydraulic steering to internal walkways, everything is included after years of talking to farmers, implementing their advice and understanding their needs.

**BACKING
EVERY
HARVEST**

Speed and Efficiency

A standard large Auger paired with hydraulic flow doors and PTO/Hydro options make the Nyrex one of the fastest bins in the field with the most operator control

Larger Auger

A 22" standard Auger and 20" floor Auger on our smaller, narrow range of Nyrex Chaser bins. For maximum unload speed we have a larger 24" Auger on our 45T, 55T, 65T and 75T Chaser Bins with an upsized 22" floor Auger.

Hydraulic Flow Doors

Full length hydraulic grain flow doors allow for ultimate control and grain flow.

PTO/PTO and HYD/HYD

Looking for further speed and efficiency? Order your Nyrex with our **full PTO/PTO drive** option for maximum unload speed. Our **full Hydro option** has a slower discharge rate but allows for greater control over unload speed or if your machine does not have PTO.



Tandem Axle Unload



Grain Flow Doors



Unload



2026 Windows

Our Most Feature Packed Bin Yet

An superb range of features for a superb bin

The latest version of our GrainKing Chaser Bins, the Nyrex, is jam packed full of features to make our bins more practical, safe and efficient. A **floating cushioned drawbar** keeps the ride smooth and allows for height adjustment. A **hydraulic swinging vertical lift jack** makes hitching and storing your bin in a simple and efficient process with the ability to remove it via two pins. A hand driven **roll tarp** keeps your grain safe from wet conditions and a **swinging full length cleanout door** setup allows for quick and easy grain removal. A **Standard Overrun clutch** for your discharge Auger saves wear and tear on your equipment. Go all out and upgrade this to an **electronic clutch** to also avoid wear & tear on your floor Auger linkages. **2026 models** now include a **sample chute**, **full height rear ladder**, **adjustable discharge Auger** height and reach, **single set of hoses** to plug in to your tractor on full PTO drive, **3 x cameras** on the adjustable spout and a **button on your drawbar** to control the jackstand from outside the cab.



Hydraulic Hose Holder



Hydraulic Jackstand

Unload with Ease

A now pivoting height adjustable auger with over 5.8m discharge height for clearance, adjustable poly spout for control, 3 x cameras with a light on the spout and left or right hand discharge side to choose from.



Brakes and Safety

Every GrainKing Nyrex is manufactured with brakes as standard. Lights and 3 x cameras, oversize signs, tail lights and flashing beacons are all standard Nyrex safety gear.



Easy Maintenance

Nyrex's maintenance is quicker than ever with minimal grease points and greaseless bushings used in critical locations. A folding side access door to internal walkways enables safe and efficient cleanout.




Improved Ride and Undercarriage

Steering axles and hydraulic suspension

New and improved suspension on 2026 GrainKing Chaser Bins have required the inclusion of **wheel arches** for additional room with increased suspension travel **up to 400mm total**. Additionally, our **reinforced floating cushioned drawbar** ensures a steady ride, offering superior robustness over our competitors. Tandem and tri axle models have **load sharing independant suspension** as standard. Tandem models have **rear steering axles** and Tri models are kitted with **front + rear steering axles** to increase turning circle while minimising soil disturbance and compaction.

2026 Models now include a **pivoting discharge auger**, allowing the operator to fill low grain bag machines or reach into the highest Motherbins on the market. Up to 10mm **thick auger flighting's** further enhances durability, ensuring a longer lifespan and less maintenance over each bin. This combination results in a strong, efficient, and reliable chaser bin built to withstand heavy-duty agricultural use.



**5 YEAR STRUCTURAL
WARRANTY!**



Easy and Efficient Cleanout

Swinging cleanout doors, access doors and zero clutter internal design



Swinging Cleanout Doors

We've made cleanup a satisfying experience

GrainKing's chaser bin cleanout has never been easier or more efficient, thanks to innovative design features implemented after gathering valuable customer feedback over the years. The **swinging cleanout doors** provide quick and easy access to the bin's interior with **one handle opening every door**, allowing for hassle-free removal of any remaining grain. **Internal walkways and zero internal crossbars** ensure safe and convenient movement inside the bin, enhancing operator safety and efficiency during the cleanout. Additionally, the **flip-up side access door** makes it simple to access the inside of the bin, further improving the speed and ease of the process. A **full height rear ladder** is **now standard** as a second access point for when the bin is full. These design elements, developed with input from real-world users, make GrainKing's chaser bin the ideal choice for maximizing productivity and minimizing downtime.



Chaser Bin Internal Structure - Mesh Walkway
Included Covering Grain Flow Doors

Full PTO Drive Gearbox

No chains, no belts, minimal maintenance.
Just gears and oil.



Full PTO Gearbox



Hydraulic Valve Bank



Full PTO Gearbox Drive Render

Simple, Efficient and Fast Unload

GrainKing's new and improved **full PTO drive gearbox** eliminates not only all hydraulics to drive the augers, but all belts and chains as well. Through a series of gears the discharge auger is run directly off the PTO at the same time as the floor auger. This means that whether your running a **new, old, large or small tractor**, you will never have to worry about not getting the most out of your discharge due to **inadequate oil flow** from the tractor. Use your internal grain flow doors to control the speed of grain into the augers, **we recommend running the PTO RPM at 800 - 1000** to avoid too much pressure on the shafts. **Don't want to run the floor auger** so you can empty out the discharge auger? No problem, **simply disengage the optional electronic clutch** after the gearbox and your floor auger will no longer spin, the **red light** indicates when the clutch is on. When setup on our standard 22" auger you can expect to get up to 18T a minute in the right conditions, pair it with one of our big 24" augers on our tri axle bins and you'll have over 20T a minute pouring out the end of your spout. **All hydraulics** are then run through an **electronic valve bank** which is controlled via a handpiece. Only **1 set of hydraulic hoses** (and a brake hose) is then needed to plug into your tractor to operate the whole bin.



Hose and PTO Holder

Your Controls in One Place

Our mounted in cab joystick makes bin unload a one man job

Adjustable Poly Spout & Lights/Cameras/Beacons

Our adjustable poly spout is controlled from your cab using one multifunctional control box. Lights/cameras and beacons are also switched on and off from your cab.

Auger Unfold

The auger unfold and auger pivot are hydraulically controlled from your cab eliminating the need to exit the machine.

Hydraulic Grain Flow Doors

Our internal full length grain flow doors are hydraulically or electronically opened and closed from your cab for total grain flow control.

Hydraulic Floor Auger

When setup with a HYD/PTO or full HYD setup, our floor auger is controlled from the cab and can be sped up or slowed down based on the hydraulic flow.

This flow control is not applicable to full PTO setup! Max unload speed will decrease with a Full Hydro setup!

Multifunctional Joystick and supplied viewing screen



Multifunctional control box



Full Hydro


Full Hydro is your go to if your tractor does not have PTO or if you would like greater control over filling your seeding carts.



Unload

Personalise Your Nyrex

Choose from a broad range of options to create your perfect Chaser Bin



Our Options

1. Scales Paired With Libra Cart Control
2. Track Options
3. Fire Extinguisher - 9L with Brackets
4. Float Tyre Upgrade
5. Stubble Mats

Personalise Your Nyrex

Choose from a broad range of options to create your perfect Chaser Bin



Our Options (Extended)

- 6. Fixed Poly Dropchute or Hydraulic Poly Dropchute Option. Left or Right Hand Discharge Auger.
- 7. Full PTO/PTO, PTO/HYD or Full Hydro/Hydro Option
- 8. Electronic On/Off Clutch for PTO Floor Auger
- 9. Fire Fighter - 2 x 400L (Petrol or Hydraulic)
- 10. Seeding Chute For Nyrex Chaser Bin (Suits 22" Auger)
- 11. Tramliner (Auger Driven)
- 12. Tow Hitch
- 13. Custom Wheel Centres - 4m etc.

Adjustable Suspension

Updated suspension and hydraulics make the 2026 GrainKing Nyrex the best Chaser bin on the market



Hydraulic Cushioned Drawbar

Suspension

GrainKing's new and improved closed loop **hydraulic suspension** and **hydraulic cushioned drawbar** ensures a smooth, reactive ride that will soak up every bump and rut in the field. The closed loop means that each mount is **independent** and moves up and down on it's own without affecting the other mounts. Overall suspension movement now sits at **200mm either way, 400mm total** compared to the previous 100mm total on our leaf spring bins. On the tandem axle bins the hydraulic **rear steering** is still in effect and tri axle bins have **front and rear steering**. Having hydraulic suspension now allows you to **lower the height** of your bin for transport. Simply remove oil from the loop via your tractor and the bin height comes down up to 200mm max.

Drawbar

Our cushioned drawbar now sits flatter and **level with the ground**, reducing pressure on your tractor hitch and **levelling out your PTO** at a flatter angle. The cushion effect is now via two hydraulic rams rather than the poly blocks previously used. This creates a **more reactive cushion** with **larger reach**, reducing pressure on the drawbar. This update in hydraulics may sound like a lot more tractor ports needed, GrainKing has thought of this and now all hydraulics will run into a **valve bank** and only one main hose will be required to run into your tractor on a full PTO/PTO setup. A **step** and **external button** to control your hydraulic jackstand is also included.



Hydraulic Suspension Mounts



Step on Drawbar

A Range of Models to Suit Your Farming Operation

Choose Your Model



23,000L SGL



32,000L SGL



40,000L SGL



40,000L TDM



48,000L TDM



56,000L TDM



70,000L TDM



70,000L TRI



82,000L TRI



94,000L TRI

Volume	Axle Type	Tonnage	Minimum HP
			Required
23,000	Single Axle	18T SGL	180HP
32,000	Single Axle	25T SGL	200HP
40,000	Single Axle	30T SGL	225HP
40,000	Tandem Axle	30T TDM	235HP
48,000	Tandem Axle	38T TDM	270HP
56,000	Tandem Axle	45T TDM	320HP
70,000	Tandem Axle	55T TDM	380HP
70,000	Tri Axle	55T TRI	400HP
82,000	Tri Axle	65T TRI	470HP
94,000	Tri Axle	75T TRI	600HP

Quality Product Service and Delivery

We service and deliver the best Chaser
Bin all over Australia

5 year structural warranty

GrainKing's 5 year structural warranty provides peace of mind that your bin will stand the test of time through all farming conditions. If your bin experiences a manufacturing structural defect you can be assured we will be there to assist you with repair or replacement.

Australia Wide

GrainKing has the ability to transport your new chaser bin to any corner of Australia. With offices in QLD and WA our service and sales team are there to support you. All manufacturing is completed in WA. GrainKing's Dealers are spread far and wide over Australia.

Our Offices

QLD 40 SOWDEN ST, DRAYTON,
TOOWOOMBA QLD 4350

WA 22 WITTENBERG DR, CANNING VALE
WA 6155,
7 WEST MAIN ST, CUNDERDIN WA 6407
HOURS: MON - FRI 8AM - 4:30PM
70 BANNISTER RD, CANNING VALE
WA 6155

PHONE: 1300 472 465

EMAIL: SALES@GRAINKING.COM.AU

Our 5 year warranty covers structural defects and does not cover parts and outsourced items!



Notes

Discover More at GrainKing.com.au

Product Specs

SPECIFICATION	23,000	32,000	40,000	40,000	48,000	56,000	70,000	70,000	82,000	94,000
RATED TONNAGE RANGE	18T SGL	25T SGL	30T SGL	30T TDM	38T TDM	45T TDM	55T TDM	55T TRI	65T TRI	75T TRI
MODEL NUMBER	23,000	32,000	40,000	40,000	48,000	56,000	70,000	70,000	82,000	94,000
NEW TANK WIDTH	3.5m	3.5m	3.5m	3.5m	3.5m	4.5m	4.5m	4.5m	4.5m	4.5m
NEW WIDTH INC TYRES	3.8m	3.8m	3.8m	3.8m	3.8m	4.5m	4.5m	4.5m	4.5m	4.5m
NEW LOAD IN HEIGHT	3.53m	3.53m	3.53m	3.53m	3.53m	3.63m	3.63m	3.63m	3.63m	3.63m
NEW LOW SIDE HEIGHT	3.45m	3.45m	3.45m	3.45m	3.45m	3.55m	3.55m	3.55m	3.55m	3.55m
NEW BIN LENGTH	3.85m	5.25m	5.62m	5.62m	7.02m	6.64m	8.04m	8.04m	9.45m	10.84m
LENGTH INCLUDING DRAWBAR	6.35m	7.75m	8.12m	8.12m	9.52m	9.14m	10.54m	10.54m	11.95m	13.34m
AXLE TYPE	Single	Single	Single	Tandem	Tandem	Tandem	Tandem	Tri	Tri	Tri
TYRES	30.5 L - 32 LUG FLOTATION TYRES	800/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	30.5 L - 32 LUG FLOTATION TYRES	30.5 L - 32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES
BRAKES	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
STEERING AXLES	No	No	No	Rear	Rear	Rear	Rear	Front/Rear	Front/Rear	Front/Rear
SUSPENSION	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DISCHARGE AUGER SIZE	22"	22"	22"	22"	22"	24"	24"	24"	24"	24"
DISCHARGE RATE (TONNE P/MIN)	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive
DISCHARGE AUGER SIDE	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
DISCHARGE HEIGHT	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m
ADJUSTABLE SPOUT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LIGHT KIT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CAMERA KIT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ADJUSTABLE GRAIN FLOW DOORS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FULL LENGTH CLEAN OUT DOORS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ROLL TARP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SIDE INSPECTION DOOR	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
COLOUR	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey
WARRANTY	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural



Notes

[illegible]

GRAINKING



CONNECT WITH US



<https://www.youtube.com/@grainkingbins>

GrainKing.com.au



SCAN HERE!

DISCLAIMER

GrainKing reserves the right to make changes in engineering or specifications at any time without notice. Although every effort has been made to display accurate information, no responsibility will be taken for any errors contained in this publication.