

GRAINKING

NYREX
2026 MY

Nyrex Chaser BIN



2026 75T Nyrex Chaser Bin



40,000L Lineup

Meet GrainKing's Nyrex Chaser Bin

The most efficient grain handling equipment on the market.

Designed, Engineered and Manufactured by GrainKing, Nyrex Chaser bins have been the Aussie farmer's first choice for over 40 years. Beginning in 1962 and solely manufacturing grain bins since 1981, GrainKing has decades of experience in creating the safest, most efficient and durable Chaser bins on the market. From hydraulic steering to internal walkways, everything is included after years of talking to farmers, implementing their advice and understanding their needs.

**BACKING
EVERY
HARVEST**

Speed and Efficiency

A standard large Auger paired with electronic flow doors and PTO/Hydro options make the Nyrex one of the fastest bins in the field with the most operator control

Larger Auger

A 22" standard Auger and 20" floor Auger on our smaller, narrow range of Nyrex Chaser bins. For maximum unload speed we have a larger 24" Auger on our 45T, 55T, 65T and 75T Chaser Bins with an upsized 22" floor Auger.

Electronic Flow Doors

Full length electronic grain flow doors allow for ultimate control and grain flow.

PTO/PTO and HYD/HYD

Looking for further speed and efficiency? Order your Nyrex with our **full PTO/PTO drive** option for maximum unload speed. Our **full Hydro option** has a slower discharge rate but allows for greater control over unload speed or if your machine does not have PTO.



Tandem Axle Unload



Grain Flow Doors



Unload



2026 Windows

Our Most Feature Packed Bin Yet

An superb range of features for a superb bin

The latest version of our GrainKing Chaser Bins, the Nyrex, is jam packed full of features to make our bins more practical, safe and efficient. A **hydraulic floating cushioned drawbar**, **hydraulic swinging vertical lift jack**, a **hand driven roll tarp** keeps your grain safe, **swinging full length cleanout doors** and a **standard Overrun clutch** for your discharge Auger saves wear and tear on your equipment. Go all out and add an **electronic clutch** to also avoid wear & tear on your floor Auger linkages.

2026 models include a **sample chute**, **full height rear ladder**, **adjustable discharge Auger** height and reach, **single set of hoses** to plug in to your tractor on full PTO drive, **3 x cameras** on the **adjustable spout** and a button on your drawbar to control the jackstand from outside the cab.



Hydraulic Hose Holder



Hydraulic Jackstand

Unload with Ease

A now pivoting height adjustable auger with over 5.8m discharge height for clearance, adjustable poly spout for control, a camera with a light on the spout for night unloading and left or right hand discharge side to choose from.



Brakes and Safety

Every GrainKing Nyrex is manufactured with brakes as standard. Lights and 3 x cameras, oversize signs, tail lights and flashing beacons are all standard Nyrex safety gear.



Easy Maintenance

Nyrex's maintenance is quicker than ever with minimal grease points and greaseless bushings/bearings used in critical locations. A folding side or rear access door and internal walkways enables safe and efficient cleanout.




Improved Ride and Undercarriage

Steering axles and hydraulic suspension

New and improved suspension on 2026 GrainKing Chaser Bins have increased suspension travel **up to 400mm total**. Additionally, our **reinforced floating cushioned drawbar** ensures a steady ride and height adjustment for the perfect ride. Tandem and tri axle models have **load sharing independent suspension** as standard. Tandem models have **rear steering axles** and Tri models are kitted with **front + rear steering axles** to increase turning circle while minimising soil disturbance and compaction.

2026 Models now include a **pivoting discharge auger**, allowing the operator to fill low load in hoppers or reach into the highest Motherbins on the market. Up to 10mm **thick auger flighting's** further enhances durability, ensuring a longer lifespan and less maintenance over each bin.



5 YEAR STRUCTURAL WARRANTY!

Easy and Efficient Cleanout

Swinging cleanout doors, access doors and zero clutter internal design



Swinging Cleanout Doors

We've made cleanup a satisfying experience

GrainKing's chaser bin cleanout has never been easier or more efficient, thanks to innovative design features implemented after gathering valuable customer feedback over the years.

The **swinging cleanout doors** provide quick grain removal with **one handle opening every door**. **Internal walkways** and **zero internal crossbars** ensure safe and convenient movement inside the bin. Additionally, the **flip-up side access door** or **rear entry door** makes it simple to access the inside of the bin. A **full height rear ladder** is **now standard** as a second access point for when the bin is full. **Internal mesh walkways** Included for ease of cleanout.



Chaser Bin Internal Structure - Mesh Walkway
Covering Grain Flow Doors Included

Full PTO Drive Gearbox

No chains, no belts, minimal maintenance.
Just gears and oil.



Full PTO Gearbox



Hydraulic Valve Bank



Full PTO Gearbox Drive Render

Simple, Efficient and Fast Unload

GrainKing's new and improved **full PTO drive gearbox** eliminates not only all hydraulics to drive the augers, but all belts and chains as well. Through a series of gears the discharge auger is run directly off the PTO at the same time as the floor auger. This means that all 1000 PTO tractors will get **full flow discharge** speed regardless of **oil flow**. Use your internal grain flow doors to control the speed of grain into the augers. **The optional electronic clutch** allows you to disengage the floor auger, the **red light** indicates when the clutch is on. When setup on our standard 22" auger you can expect to get up to 18T a minute in the right conditions, pair it with a 24" auger on our 45T - 75T bins and you'll have over 20T a minute pouring out the end of your spout.

All hydraulics are then run through an **electronic valve bank** which is controlled via a handpiece. Only **1 set of hydraulic hoses** (and a brake hose) is then needed to plug into your tractor to operate the whole bin.



Hose and PTO Holder

Adjustable Suspension

Updated suspension and hydraulics make the 2026 GrainKing Nyrex the best Chaser bin on the market




Hydraulic Cushioned Drawbar

Suspension

GrainKing's new and improved closed loop **hydraulic suspension** and **hydraulic cushioned drawbar** ensures a smooth, reactive ride that will soak up every bump and rut in the field. The closed loop means that each mount is **independent** and moves up and down on it's own without affecting the other mounts. Overall suspension movement now sits at **200mm either way, 400mm total**. On the tandem axle bins the hydraulic **rear steering** is standard and tri axle bins have **front and rear steering**. Having hydraulic suspension now allows you to **lower the height** of your bin for transport. Simply remove oil from the loop via your tractor and the bin height comes down up to 200mm max.

Drawbar

Our cushioned drawbar now sits flatter and **level with the ground**, reducing pressure on your tractor hitch and **levelling out your PTO** at a flatter angle. The cushion effect is now via two hydraulic rams rather than the poly blocks previously used. This creates a **more reactive cushion** with **larger reach**, reducing pressure on the drawbar. The drawbar height is easily adjustable to suit your specific tractor. A **step** and **external button** to control your hydraulic jackstand is also included.



Hydraulic Suspension Mounts



Step on Drawbar

Your Controls in One Place

Our mounted in cab joystick makes bin unload a one man job

Adjustable Poly Spout & Lights/Cameras/Beacons

Our adjustable poly spout is controlled from your cab using our multifunctional joystick. Lights/cameras and beacons are also switched on and off from your cab.

Auger Unfold

The auger unfold and auger pivot are hydraulically controlled from your cab eliminating the need to exit the machine.

Electronic Grain Flow Doors

Our internal full length grain flow doors are electronically opened and closed from your cab for total grain flow control.

Optional Hydraulic Floor Auger

When setup with a HYD/PTO or full HYD setup, our floor auger is controlled from the cab and can be sped up or slowed down based on the hydraulic flow.

This flow control is not applicable to full PTO setup! Max unload speed will decrease with a Full Hydro setup!

Multifunctional Joystick and supplied viewing screen



Multifunctional control box




Full Hydro

Full Hydro is your go to if your tractor does not have PTO or if you would like greater control over filling your seeding carts.



Personalise Your Nyrex

Choose from a broad range of options to create your perfect Chaser Bin



Our Options

1. Scales Paired With Libra Cart Control
2. Track Options
3. Fire Extinguisher - 9L with Brackets
4. Float Tyre Upgrade
5. Stubble Mats

Personalise Your Nyrex

Choose from a broad range of options to create your perfect Chaser Bin



Our Options (Extended)

- 6. Fixed Poly Dropchute or Hydraulic Poly Dropchute Option. Left or Right Hand Discharge Auger.
- 7. Full PTO/PTO, PTO/HYD or Full Hydro/Hydro Option
- 8. Electronic On/Off Clutch for PTO Floor Auger
- 9. Fire Fighter - 2 x 400L (Petrol or Hydraulic)
- 10. Seeding Chute For Nyrex Chaser Bin (Suits 22" Auger)
- 11. Tramliner (Auger Driven)
- 12. Tow Hitch
- 13. Custom Wheel Centres - 4m etc.

A Range of Models to Suit Your Farming Operation

Choose Your Model



Minimum HP			
Volume	Axle Type	Tonnage	Required
23,000	Single Axle	18T SGL	180HP
32,000	Single Axle	25T SGL	200HP
40,000	Single Axle	30T SGL	225HP
40,000	Tandem Axle	30T TDM	235HP
48,000	Tandem Axle	38T TDM	270HP
56,000	Tandem Axle	45T TDM	320HP
70,000	Tandem Axle	55T TDM	380HP
70,000	Tri Axle	55T TRI	400HP
82,000	Tri Axle	65T TRI	470HP
94,000	Tri Axle	75T TRI	600HP

Quality Product Service and Delivery

We service and deliver the best Chaser
Bin all over Australia

5 year structural warranty

GrainKing's 5 year structural warranty provides peace of mind that your bin will stand the test of time through all farming conditions. If your bin experiences a manufacturing structural defect you can be assured we will be there to assist you with repair or replacement.

Australia Wide

GrainKing has the ability to transport your new chaser bin to any corner of Australia. With offices in QLD and WA our service and sales team are there to support you. All manufacturing is completed in WA. GrainKing's Dealers are spread far and wide over Australia.

Our Offices

QLD 40 SOWDEN ST, DRAYTON,
TOOWOOMBA QLD 4350

WA 22 WITTENBERG DR, CANNING VALE
WA 6155,
7 WEST MAIN ST, CUNDERDIN WA 6407
HOURS: MON - FRI 8AM - 4:30PM
70 BANNISTER RD, CANNING VALE
WA 6155

PHONE: 1300 472 465

EMAIL: SALES@GRAINKING.COM.AU

Our 5 year warranty covers structural defects and does not cover parts and outsourced items!



Notes

Discover More at GrainKing.com.au

Product Specs

SPECIFICATION	23,000	32,000	40,000	40,000	48,000	56,000	70,000	70,000	82,000	94,000
RATED TONNAGE RANGE	18T SGL	25T SGL	30T SGL	30T TDM	38T TDM	45T TDM	55T TDM	55T TRI	65T TRI	75T TRI
MODEL NUMBER	23,000	32,000	40,000	40,000	48,000	56,000	70,000	70,000	82,000	94,000
NEW TANK WIDTH	3.5m	3.5m	3.5m	3.5m	3.5m	4.5m	4.5m	4.5m	4.5m	4.5m
NEW WIDTH INC TYRES	3.8m	3.8m	3.8m	3.8m	3.8m	4.5m	4.5m	4.5m	4.5m	4.5m
NEW LOAD IN HEIGHT	3.53m	3.53m	3.53m	3.53m	3.53m	3.63m	3.63m	3.63m	3.63m	3.63m
NEW LOW SIDE HEIGHT	3.45m	3.45m	3.45m	3.45m	3.45m	3.55m	3.55m	3.55m	3.55m	3.55m
NEW BIN LENGTH	3.85m	5.25m	5.62m	5.62m	7.02m	6.64m	8.04m	8.04m	9.45m	10.84m
LENGTH INCLUDING DRAWBAR	6.35m	7.75m	8.12m	8.12m	9.52m	9.14m	10.54m	10.54m	11.95m	13.34m
AXLE TYPE	Single	Single	Single	Tandem	Tandem	Tandem	Tandem	Tri	Tri	Tri
TYRES	30.5 L - 32 LUG FLOTATION TYRES	800/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	30.5 L - 32 LUG FLOTATION TYRES	30.5 L - 32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES	900/65-32 LUG FLOTATION TYRES
BRAKES	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
STEERING AXLES	No	No	No	Rear	Rear	Rear	Rear	Front/Rear	Front/Rear	Front/Rear
SUSPENSION	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DISCHARGE AUGER SIZE	22"	22"	22"	22"	22"	24"	24"	24"	24"	24"
DISCHARGE RATE (TONNE P/MIN)	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive	Up to 16T PTO/HYD Drive
DISCHARGE AUGER SIDE	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
DISCHARGE HEIGHT	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m	5.6m
ADJUSTABLE SPOUT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LIGHT KIT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CAMERA KIT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ADJUSTABLE GRAIN FLOW DOORS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FULL LENGTH CLEAN OUT DOORS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ROLL TARP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SIDE INSPECTION DOOR	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
COLOUR	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey	Green, Red, Blue,Grey
WARRANTY	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural	5 YR Structural



Notes

[illegible]

GRAINKING



CONNECT WITH US



<https://www.youtube.com/@grainkingbins>

GrainKing.com.au



SCAN HERE!

DISCLAIMER

GrainKing reserves the right to make changes in engineering or specifications at any time without notice. Although every effort has been made to display accurate information, no responsibility will be taken for any errors contained in this publication.